

Installation Hardware

Matchmaster has a vast range of heavy duty hardware for both Antenna and Satellite mounting. All of our outdoor mounting hardware is made from Galvanized Steel to prevent oxidation and suit our harsh coastal climate. We have a large range of mast and cable flashings plus accessories to assist in any installation.

Installation Hardware

 **6' x 1" Mast (1.83m x 2.54cm)**
11MM-6FTS

 **8' x 1.25" Mast (2.44m x 3.17cm)**
11MM-8FTM

 **10' x 1.25" Mast (3.05m x 3.17cm)**
11MM-10FTM

 **12' x 1.25" Mast (3.66m x 3.17cm)**
11MM-12FTM

 **15' x 1.25" Mast (4.57m x 3.17cm)**
11MM-15FTM

 **15' x 1.50" Mast (4.57m x 3.81cm)**
11MM-15FTL

Features and Benefits

- » Suitable for attaching TV antennas and amplifiers
- » Round mast tube
- » Steel finish
- » Can be used with tile, metal, clip lock and colour bond roof mounts



 **1.65m Gutter Kit**
11MM-CM01

Features and Benefits

- » Suitable for attaching TV antennas and amplifiers
- » Allows mounting around a roof gutter
- » Galvanised finish
- » Heavy duty construction
- » Bolts to rafter under roof tiles and protrudes above guttering



 **Catenary Wire (180m Roll)**
11MM-CW180

Features and Benefits

- » 180m guy wire
- » Used to stabilise antenna masts over 12"
- » Galvanised steel
- » Heavy duty construction



3" x 3/8" Dynabolt
(7.62 x 0.95cm)
11MM-DB1075

Features and Benefits

- » Suitable for fastening to concrete, brick or block
- » Zinc plated
- » High quality sleeve anchor designed to give optimal performance
- » Medium to high tension and shear capacity
- » Easy installation



Dektite® Premium Roof Mount Black (0-35mm Pipe OD)
11MM-DFE100B

Dektite® Premium Roof Mount Black (5-55mm Pipe OD)
11MM-DFE101B

Dektite® Premium Roof Mount Black (50-75mm Pipe OD)
11MM-DFE102BA

Dektite® Premium Roof Mount Black (5-127mm Pipe OD)
11MM-DFE103B

Features and Benefits

- » Meets bushfire zone building standards
- » Unique cone design provides a watertight seal
- » Able to withstand temperature ranges from -58°C to 150°C
- » Flexible roof mount
- » Low profile base with watershed sleeve which improves run off
- » Large base allows for steeper roof pitch
- » Pitch 0-45°



Installation Hardware

12" Wall Fitting (305mm) With Nest And U-Bolt 11MM-DWF12AS

Features and Benefits

- » Suitable for mounting masts to walls/facias
- » Includes U-bolt and nest



Lead Free Roof Flashing 11MM-FTM01

Features and Benefits

- » Suitable for all tiled roof flashing applications
- » Safe lead free handling
- » Keep your water clean from lead contamination when diverting to tanks
- » Waterproofs pipes, vents, flues



11MM-FTM01 Specifications

External Pipe Size	0-35mm
Sheet Size	410 x 490mm
Pitch	0-45° or 10/12
Temperature	At the Roof Line -50°C to 115°C & 150°C Intermittently

300mm Fascia Mount With J Hook Attachment For Optus Cable 11MM-FM300

1000mm Fascia Mount With J Hook Attachment For Optus Cable 11MM-FM1000

Features and Benefits

- » NBN and Optus approved
- » Galvanised finish
- » Australian made



Guy Cleat Surface Anchor 11MM-GC/4

Features and Benefits

- » Can be mounted to any tin/timber or concrete flat surface
- » Convenient 4 pack



Guy Clamp Assembly For 1.25" (3.17cm) Mast 11MM-GCA32

Guy Clamp Assembly For 1.5" (3.81cm) Mast 11MM-GCA38

Features and Benefits

- » Used to tie guy wire to a mast
- » Clamp kit for attaching to a mast
- » Includes guy plate and lock ring



Hockey Stick Stay Bar Collar (25-32mm) 11MM-HC01

Features and Benefits

- » Used to connect and support stay bar to mast
- » Dual lock on bolts to prevent shifting



Heavy Duty Antenna Nest 11MM-HDN

Features and Benefits

- » Used with U bolt to clamp antenna or masting
- » Grip teeth to prevent antenna shifting



Installation Hardware



Mount Curved Fascia 1.2m
11MM-HS48

Mount Curved Fascia 1.6m
11MM-HS63

Mount Curved Fascia 1.8m
11MM-HS72

Mount Curved Fascia 2.7m
11MM-HS108



Features and Benefits

- » Right angle steel tube to fit to the roof fascia
- » Protrudes 180mm from fascia surface

Hockey Stick Stay Bar Pair (1.2m)
11MM-HSS4FT

Hockey Stick Stay Bar Pair (1.8m)
11MM-HSS6FT

Hockey Stick Stay Bar Pair (2.4m)
11MM-HSS8FT




Features and Benefits

- » Provides extra antenna mast or hockey stick support
- » Round tube with mounting holes at each end
- » Metallic steel finish
- » Used in conjunction with a hockey stick stay bar collar (11MM-HC01)

Iron Roof Mount
11MM-IRM

Features and Benefits


- » Shaped to fit standard steel roof ridge capping
- » Galvanised finish



Right Angle Roof Mount
11MM-LARM

Features and Benefits

- » Used to attach a mast to a flat/corrugated surface roof



Caravan Mast Bracket Clamp
11MM-MC

Features and Benefits

- » Used to attach antenna mast to caravan tow bracket
- » Metallic finish
- » Heavy duty construction
- » Compact design
- » Dual lock on bolts for extra stability to prevent shifting



1.5m Mast Extension Kit
11MM-MEK

Features and Benefits

- » Used to extend a mast by an extra 1.5m
- » Includes U-bolt, nuts and washers
- » Galvanised finish
- » Design with grip teeth for extra stability to prevent mast shifting



Hockey Stick Metal Fascia Support Bracket
11MM-MFB

Features and Benefits

- » Used to provide extra support for Colorbond® fascias
- » Keeps hockey stick secure to fascias
- » Suitable for high wind areas
- » Galvanised finish
- » Reduces flexing on fascia



Installation Hardware

12' Caravan Mast Telescopic (3.66m)

11MM-MM12

Features and Benefits

- » Tubular extendable mast
- » Lightweight design
- » Ideal for U-bolt mast attachments
- » Twist lock for adjustable mast extension



20' Telescopic Mast (6.10m) Including Rigging Kit

11MM-MT20



30' Telescopic Mast (9.14m) Including Rigging Kit

11MM-MT30



Black Insulation Tape (20m x 19mm)

11MM-NIT

Features and Benefits

- » PVC tape for electrical insulation
- » Superior adhesion
- » Excellent in low temperature resistance
- » Environmentally friendly, lead-free



50' Telescopic Mast (15.24m) Including Rigging Kit

11MM-MT50



Features and Benefits

- » Tubular extendable mast
- » Includes guying ring plates for mounting
- » Galvanised finish
- » Heavy duty construction

Offset V Block

11MM-OVB

Features and Benefits

- » Offset bracket allows you to fix a second mast perpendicular to an existing fixed mast
- » Helpful when fixing an upright mast to a pair of eave/fascia masts, etc.
- » Zinc steel
- » Suitable for small size mounting mast



Roof Bracket With Cable Loop

11MM-P-HOOK

Features and Benefits

- » Roof bracket with a P-loop to feed cable
- » Optus approved (36973)
- » Galvanised finish
- » Heavy duty construction



Installation Hardware

Plastic Cap 1" (25mm) For Masts 11MM-PC25

Plastic Cap 1.25" (32mm) For Masts 11MM-PC32

Features and Benefits

- » Plastic cap that is placed on the top of a mast
- » Weather resistant
- » Colour: black
- » Easy to install
- » Durable



Cable Dispenser Frame 11MM-REEL01

Features and Benefits

- » Metal frame that supports a roll of cable
- » Allows easy access and dispensing of cable



1.83M Rafter Mount 11MM-RM

Features and Benefits

- » Used for securing an antenna to roof rafters
- » Mount secured using coach bolts



300mm Rafter Mount With J Hook Attachment For Optus Cable 11MM-RM300



1000mm Rafter Mount with J Hook Attachment For Optus Cable 11MM-RM1000

Features and Benefits

- » Galvanised finish
- » Australian made
- » NBN and Optus approved



Silicon Adhesive Tube 11MM-SIO1

Features and Benefits

- » Multi-purpose silicon adhesive
- » Low odour
- » Permanently flexible
- » Industrial grade
- » Ultra violet resistance
- » Superior adhesion



15" Vertical Mounting Standoff Boom 11MM-SM1-15

Features and Benefits

- » Stand off boom used to install an antenna vertically
- » Includes U-bolt and nest



Stramit Roof Mount 11MM-SRD

Features and Benefits

- » Specially designed mount to fit Stramit or Clip Lock roof profiles with no penetrating holes
- » Cleats clamp to roof profiles with pinch bolts
- » Support masts up to 2.4m tall
- » Galvanised finish
- » Mast sold separately



Short Curved Mounting Bracket 11MM-SQMB

Features and Benefits

- » Suitable rear mount antennas and Matchmaster's omni-directional VHF/UHF antenna (01MM-SLO1)



Installation Hardware

Turnbuckle Hook And Eye (6.3mm) Spring 11MM-TB6/4

Turnbuckle Hook And Eye (7.9mm) Spring 11MM-TB8/4

Features and Benefits

- » Galvanised for extended outdoor use
- » Convenient 4 pack
- » Tension cables, ropes and chains by turning the body of the buckle.



Cable Clip 6-8mm 11MM-TC6-8/100

Features and Benefits

- » Round cable clip
- » Ideal for telephone, coaxial and data cable
- » Tough and flexible
- » Discrete design



Tripod Mount For Metal Roofs 11MM-TRIPOD-M

Tripod Mount For Tile Roofs 11MM-TRIPOD-T

Features and Benefits

- » Ideal for mounting on a metal/tile roof surface
- » Galvanised finish
- » Includes a 1.5m mast
- » Strong and sturdy design




Heavy Duty Tile Roof Mount 11MM-TRM

Medium Duty Tile Roof Mount 11MM-TRM-MD

Features and Benefits

- » Ideal for mounting a mast on the ridge of a tile roof
- » 11MM-TRM suitable for telescopic masts and older ridge cap tiles
- » Galvanised finish
- » -120° tile ridge
- » Includes U-bolt and nest




U-Bolt (3.75" x 1/4") 11MM-UB6M/2

U-Bolt (4.25" x 5/16") 11MM-UB8M/2

Features and Benefits

- » Used for mounting antennas to masts using a nest
- » Includes nuts and washers
- » Convenient 2 pack
- » Strong and sturdy design




Universal Tile Roof Mount With 1.8m Mast 11MM-UM01

Universal Tile Roof Mount With 2.4m Mast 11MM-UM02

Features and Benefits

- » Ideal for mounting on a tile roof
- » Non penetrating design
- » Z-brackets design to slide under tiles for securing to rafters
- » Galvabond Steel




Installation Hardware

Universal Mast Clamp 11MM-UNV

Features and Benefits

- » Suitable for wall mount applications
- » Galvanised finish
- » Design with grip teeth for extra stability to prevent mast shifting
- » Heavy duty construction



Self Adhesive Multicable Flashing 11MM-VAF

Features and Benefits

- » Flexible black base with full adhesive backing
- » Base size of 280mm x 450mm
- » Penetration diameter 6mm to 50mm plus 4 cables up to 8mm each
- » Designed to replace lead based flashings
- » Lightweight and easy to install



17" Wall Mount Kit (432mm) 11MM-WB17KIT

Features and Benefits

- » Ideal for mounting an antenna on a wall or eave
- » Suitable for brick or timber walls
- » Includes brackets, U-bolt, nuts and washers
- » Galvanised finish



12" Wall Mount (305mm) 11MM-WF12

27" Wall Mount (686mm) 11MM-WF27

36" Wall Mount (914mm) 11MM-WF36

55" Wall Mount (1.4m) 11MM-WF55LW

Features and Benefits

- » Ideal for mounting an antenna on a wall or eave
- » Suitable for brick or timber walls
- » Heavy duty construction
- » Galvanised finish



Wire Rope Grip 11MM-WRG/8

Features and Benefits

- » Convenient 8 pack
- » Used for gripping the ends of catenary wire together
- » Metallic Steel finish
- » Foxtel Approved (F10210)
- » Used with Matchmaster's catenary wire (11MM-CW180)



5" Eye Screw With Wood Thread (127mm) 11MM-WTSE5/4

7" Eye Screw With Wood Thread (178mm) 11MM-WTSE7/4

Features and Benefits

- » Used for a wooden anchor mount
- » Convenient 4 pack
- » Ideal for using with cables
- » Zinc plated stainless steel

